

## ALLOY 6060 : 5 METRE LENGTHS

SECTION	EX STOCK	SIZE mm			RADII mm	KILO / METRE	PERIMETER mm
		A	B	T	R		
31158	✓	30.0	8.0	1.5	0.25	0.284	75.0
30071	*	30.0	12.0	2.0	0.25	0.412	84.0
60123	*	33.0	17.0	3.0	0.3	0.715	99.5
60124	*	33.0	25.0	3.0	0.3	0.845	115.5
60071	*	38.0	25.0	1.5		0.472	100.0
60010	✓	38.0	25.0	2.0		0.624	121.0
60186	*	40.0	14.0	1.25	2.00	0.341	104.0
40922	*	40.0	15.0	1.5	0.20	0.423	110.0
30901	✓	40.0	20.0	3.0	0.25	0.878	120.0
60034	✓	40.0	20.0	3.0	3.0	0.857	118.0
60134	*	40.0	25.0	2.0	1.5	0.656	127.4
60020	*	50.0	25.0	1.6	0.30	0.622	149.5
10164	✓#	50.0	25.0	2.0		0.770	150.0
30056	✓	50.0	25.0	3.0	0.25	1.122	150.0
60038	✓#	50.0	25.0	3.0	3.0	1.101	144.8
60146	✓	50.0	38.0	2.0	3.0	0.892	170.8
60159	*	50.0	40.0	2.0	0.2	0.932	180.0
30902	✓	50.0	40.0	3.0	0.25	1.366	180.0
30693	✓	60.0	30.0	1.4	0.20	0.662	180.0
60090	✓#	60.0	40.0	3.0	0.2	1.528	199.7
30903	✓	65.0	50.0	3.0	0.25	1.772	230.0
30904	✓	70.0	40.0	3.0	0.25	1.691	220.0
30752	✓	75.0	25.0	2.2	0.50	1.139	199.0
30947	✓#	75.0	40.0	2.0	0.25	1.203	283.30
60039	✓	75.0	40.0	5.0	6.00	2.764	230.0
60047	✓	75.0	40.0	6.0	0.30	3.349	230.0
30881	✓#	75.0	50.0	3.0	0.30	1.935	250.0
90350	*	75.0	50.0	5.0	6.0	3.035	240.0
60024	*	80.0	40.0	2.5	1.00	1.556	228.0
60135	*	80.0	40.0	3.0	0.2	1.853	239.7
60036	✓	80.0	50.0	3.0	5.00	1.967	251.0
90343	*	80.0	70.0	6.0	6.0	4.413	289.7
30095	✓	100.0	25.0	2.0	1.00	1.309	248.0
30905	✓	100.0	25.0	2.5	0.25	1.626	250.0
31136	✓	100.0	45.0	3.0	0.30	2.260	298.0
10166	✓	100.0	50.0	2.0		1.583	300.0


A = Width B = Height T = Thickness R = External Radii

\* Mill runs only, please ask regarding the availability of these

# Other stock lengths available in this size. If the product you require is not listed please enquire



ALLOY 6060 : 5 METRE LENGTHS



SECTION	EX STOCK	SIZE mm			RADII mm	KILO / METRE	PERIMETER mm
		A	B	T	I / E		
30231	✓	100.0	50.0	3.0		2.341	300.0
60037	✓#	100.0	50.0	3.0	4.0 / 1.0 (I)	2.307	293.1
90080	✓#	100.0	50.0	4.0		3.079	300.0
90344	*	100.0	50.0	5.0	6.0	3.713	289.7
30230	✓	100.0	50.0	6.0	1.50	4.483	297.0
60178	✓#	125.0	25.0	3.50	0.30	2.712	300.0
90078	*	125.0	40.0	3.0		2.585	330.0
60163	*	125.0	50.0	1.5	0.50	1.398	350.0
31148	*	125.0	50.0	1.9	0.25	2.034	349.0
90181	✓#	125.0	65.0	5.0	0.2	4.820	380.0
90345	*	125.0	90.0	6.0	6.0	6.527	419.7
60027	*	140.0	50.0	6.0	0.50	5.788	380.0
30662	✓#	150.0	50.0	3.0		3.154	400.0
90133	*	150.0	50.0	5.0	5.0	4.975	382.0
60164	*	150.0	50.0	6.0	3.00	6.093	394.8
60096	✓#	150.0	100.0	3.0	10.0 / 7.0 (I)	3.849	482.8
60097	✓#	150.0	100.0	5.0	10.0	6.400	483.0
60126	*	180.0	90.0	5.0	1.0	7.044	540.0
31139	✓#	200.0	50.0	3.0		3.960	500.0
90041	✓#	250.0	50.0	3.0		4.780	599.0
90137	✓#	300.0	50.0	3.5		6.507	700.0

A = Width B = Height T = Thickness R = External Radii

\* Mill runs only, please ask regarding the availability of these

# Other stock lengths available in this size. If the product you require is not listed please enquire