

## ALLOY 5005 : 5052



EX STOCK	THICKNESS mm	WIDTH mm	ALLOY TYPE	TEMPER	KILO/LINEAL METRE
✓	0.3	1190	3003	H16	0.974
✓	0.7	1200	5005	H32	2.268
✓	0.9	600	5005	H32	1.458
*	0.9	900	5005	H32	2.187
✓	0.9	1200	5005	H32	2.916
✓	1.2	600	5005	H32	1.944
✓	1.2	1200	5005	H32	3.888
✓	1.5	1200	5005	H32	4.86
✓	2.0	1200	5005	H32	6.48
*	2.5	1200	5005	H32	8.10
✓	3.0	1200	5005	H32	9.72
✓	3.0	1500	5005	H32	12.15

*	0.9	610	5052	H34	1.47
✓	0.9	940	5052	H34	2.256
✓	0.9	1200	5052	H34	2.894
*	1.2	1200	5052	H32	3.859
*	1.5	1200	5052	H32	4.824
*	2.0	1200	5052	H32	6.432
*	2.0	1500	5052	H34	8.04
*	2.5	1200	5052	H32	8.04
✓	3.0	1200	5052	H32	9.648

✓	0.7	940	ROOFING 5052	H36	1.763
✓	0.7	1220	ROOFING 5052	H36	2.288
✓	0.9	940	ROOFING 5052	H36	2.267
✓	0.9	1220	ROOFING 5052	H36	2.942
✓	0.9	2450	ROOFING 3003	H16	6.019
✓	1.2	2450	ROOFING 3003	H16	8.026

✓	0.7	1200	STUCCO 5005	H32	2.268
✓	0.9	1200	STUCCO 5005	H32	2.916
✓	1.2	1200	STUCCO 5005	H32	3.888
✓	1.5	1200	STUCCO 5005	H32	4.86

\* Please ask regarding the ex stock availability  
 All coil is mill finish unless otherwise stated  
 Alternative alloys, thickness and widths of all coil are available on request  
 All weights shown are theoretical and the actual weight may vary  
 Indent facilities available

**CIRCLES AVAILABLE ON REQUEST**